



1 -

International Patent Application PCT/EP02/11258 Borealis Technology Oy et al.

New claims:

5

0/12/2004

- 1. A stabilized polymer composition comprising a polyolefin and an antioxidant composition for improving the long term heat stability of polyolefins, said antioxidant composition comprising:
- (a) 0.01% 0.5% by weight of at least one sterically 10 hindered phenolic compound, wherein said phenolic compound contains at least one phenolic moiety of general formula (I):

$[HO-(R_1R_2R_3R_4Phenyl)-] (I)$

15

20

25

wherein R1, R2, R3 or R4 may be the same or different and at least one of R_1 , R_2 , R_3 or R_4 is selected from the group consisting of branched alkyl having 1 to 12 carbon atoms, preferably tert.-butyl, iso-propyl, cyclohexyl, cyclopentyl and adamantyl, the others of R1, R2, R3 or R4 being H or lower alkyl having 1 to 6 carbon atoms;

- (b) 0.01% 0.5% by weight of at least one phosphorous compound, wherein said phosphorous compound is selected from the group consisting of:
- Tetrakis-(2,4-di-t-butylphenyl)-4,4'-biphenylen-diphosphonite;
- Bis (2, 6-di-t-butyl-4-methylphenyl) pentaerythrityl-diphosphite;
- Di-stearyl-pentaerythrityl-di-phosphite; and .30
 - Bis(2,4-dicumylphenyl)pentaerythritol diphosphite;
 - (c) 0,01% 1% by weight of at least one sulphurcontaining compound of general formula (III):

35

20

25





NUM415

UJP Oberhausen → Ø8923994465

- 2 -

 $R_8 - (S)_x - R_9$

(III)

wherein x = 1 or 2, and wherein R_8 and R_9 may be the same or different and are selected from the group consisting of C_{10} - C_{29} alkyl groups optionally being substituted with C_1 - C_{12} alkyl ester carboxylates, wherein said $\frac{9}{2}$ by weight values are referred to the polymer composition.

- 2. A stabilized polymer composition according to claim 1, comprising a polyolefin and an antioxidant composition, wherein said antioxidant composition comprises:
 - (a) 0,02% 0,2% by weight of said at least one sterically hindered phenolic compound,
- 15 (b) 0,03% 0,2% by weight of said at least one phosphorous compound, and
 - (c) 0,05% 0,6% by weight of said at least one sulphur-containing compound of general formula (III), wherein said % by weight values are referred to the polymer composition.
 - 3. A stabilized polymer composition according to claim 1, comprising a polyolefin and an antioxidant composition, wherein said antioxidant composition comprises:
 - (a) 0,03% 0,15% by weight of said at least one sterically hindered phenolic compound.
 - (b) 0,05% 0,15% by weight of said at least one phosphorous compound, and
- (c) 0,1% 0,5% by weight of said at least one sulphur-30 containing compound of general formula (III), wherein said % by weight values are referred to the polymer composition.

UJP Oberhausen > 0892

5



_ 3 _

4. The stabilized polymer composition of any of claims 1 to 3, wherein the phenolic compound contains at least one phenolic moiety of general formula (Ia):

$HO-(R_1R_2R_3R_4Phenyl)-W$ (Ia)

wherein R₁ and R₄ being in the 2- and 6-position of the phenol residue may be the same or different and are selected from the group consisting of preferably branched C₁ to C₁₂ alkyl,

10 particularly tert.-butyl, iso-propyl, cyclohexyl, cyclopentyl and adamantyl residues, R₂ and R₃ having the meaning as given before, and W is selected from C₁ to C₁₂ alkyl, C₁ to C₁₂ alkoxy, C₁ to C₁₂ alkyl carboxylate or C₁ to C₁₂ alkyl substituted by another group of the formula HO
15 (R₁R₂R₃R₄Phenyl)-, wherein R₁ to R₄ have the meaning as indicated before.

5. The stabilized polymer composition of any of claims 1 to 4, wherein the sulphur-containing compound of general 20 formula (III):

 $R_8 - (S)_x - R_9 \qquad (III)$

is selected from Di(C₁-C₂₀)alkyl-(S)_x-di-carboxylate wherein 25 the carboxylic acid is selected from C₁ to C₁₂ alkyl carboxylic acids.

- 6. The stabilized polymer composition of any of the preceding claims, wherein the sterically hindered phenolic compound is selected from the group consisting of:
 - 2,6-Di-tert.-butyl-4-methyl phenol;
 - Pentaerythrityl-tetrakis(3-(3',5'-di-tert.-butyl-4-hydroxyphenyl)-propionate;
 - Octadecyl 3-(3',5'-di-tert.-butyl-4-
- 35 hydroxyphenyl)propionate;

30

UJP Oberhausen → Ø893

```
- 1,3,5-Trimethyl-2,4,6-tris-(3,5-di-tert.-butyl-4-
    hydroxyphenyl) benzene;
        - 2,2'-Thiodiethylene-bis-(3,5-di-tert.-butyl-4-
    hydroxyphenyl)-propionate;
        - Calcium-(3,5-di-tert.-butyl-4-hydroxy benzyl monoethyl-
5
    phosphonate);
        - 1,3,5-Tris(3',5'-di-tert.-butyl-4'-hydroxybenzyl)-
    isocyanurate;
        - Bis-(3,3-bis-(4'-hydroxy-3'-tert.-butylphenyl) butanoic
10
    acid) -glycolester;
       - 4,4'-Thiobis (2-tert.-butyl-5-methylphenol);
        - 2,2'-Methylene-bis(6-(1-methyl-cyclohexyl)para-cresol);
        - N, N'-hexamethylene bis (3,5-di-tert. Butyl-4-hydroxy-
    hydrocinnamamide;
        - 2,5,7,8-Tetramethyl-2(4',8',12'-trimethyltridecyl)
15
    chroman-6-ol;
        - 2,2'-Ethylidenebis(4,6-di-tert.-butylphenol);
        - 1,1,3-Tris(2-methyl-4-hydroxy-5-tert.-
    butylphenyl)butane;
        - 1,3,5-Tris(4-tert.-butyl-3-hydroxy-2,6-dimethylbenzyl)-
20
    1,3,5-triazine-2,4,6-(1H,3H,5H)-trione;
        - 3,9-Bis(1,1-dimethyl-2-(beta-(3-tert.-butyl-4-hydroxy-
    5-methylphenyl)propionyloxy)ethyl)-2,4,8,10-tetraoxaspiro
     (5,5) undecane;
        - 1,6-Hexanediyl-bis(3,5-bis(1,1-dimethylethyl)-4-
25
    hydroxybenzene-propanoate); ----
        - 2,6-Di-tert.-butyl-4-nonylphenol;
        - 3,5-Di-tert.-butyl-4-hydroxyhydrocinnamic acid triester
    with 1,3,5-tris (2-hydroxyethyl)-s-triazine-2,4,6(1H,3H,5H)-
30
    trione;
        - 4,4'-Butylidenebis(6-tert. Butyl-3-methylphenol);
        - 2,2'-Methylene bis (4-methyl-6-tert.-butylphenol);
        - 2,2-Bis(4-(2-(3,5-di-t-butyl-4-
```

hydroxyhydrocinnamoyloxy))ethoxyphenyl))propane;

15



- 5 -

- Triethyleneglycol-bis-(3-tert.-butyl-4-hydroxy-5 methylphenyl) propionate;
 - Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-

hydroxy-, C13-C15-branched and linear alkyl esters;

5 - 6,6'-Di-tert.-butyl-2,2'-thiodi-p-cresol;

- Diethyl((3,5-bis(1,1-dimethylethyl)-4-

hydroxyphenyl)methyl) phosphonate;

- 4,6-Bis(octylthiomethyl)o-cresol;
- Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)4-
- 10 hydroxy-, C7-C9-branched and linear alkyl esters;
 - 1,1,3-Tris[2-methyl-4-[3-(3,5-di-t-butyl-4-

hydroxyphenyl)propionyloxy]-5-t-butylphenyl] butane; and

- Butylated reaction product of p-cresol and dicyclopentadiene.
- 7. The stabilized polymer composition of any of the preceding claims, wherein the sulphur-containing compound is selected from the group consisting of:
 - Di-stearyl-thio-di-propionate;
- - Di-lauryl-thio-di-propionate;
 - Di-tridecyl-thio-di-propionate;
 - Di-myristyl-thio-di-propionate;
 - Pentaerythritol octyl thiodipropionate;
- 25 Lauryl-stearyl-thio-di-propionate;
 - ----- Di-octadecyl-disulphide;
 - Di-tert-dodecyl-disulphide and
 - Pentaerythritol-tetrakis-(3-laurylthiopropionate)
- 30 8. The stabilized polymer composition of any of the preceding claims, wherein the sterically hindered phenolic compound is selected from the group consisting of:
 - Pentaerythrityl-tetrakis(3-(3',5'-di-tert.-butyl-4hydroxypheyl)-propionate;



- 6 -

- Octadecyl 3-(3',5'-di-tert.-butyl-4hydroxyphenyl)propionate;
- 1,3,5-Trimethyl-2,4,6-tris-(3,5-di-tert.-butyl-4-hydroxyphenyl) benzene;
- 5 1,3,5-Tris(3',5'-di-tert.-butyl-4'-hydroxybenzyl)isocyanurate;
 - Bis-(3,3-bis-(4'-hydroxy-3'-tert.-butylphenyl)butanoic acid)-glycolester; and
- 3,9-Bis(1,1-dimethyl-2-(beta-(3-tert_-butyl-4-hydroxy-5methylphenyl)propionyloxy)ethyl)-2,4,8,10-tetraoxaspiro (5,5)undecane.
- 9. The stabilized polymer composition of any of the preceding claims, wherein the sulphur-containing compound is Di-stearyl-thio-di-propionate or Di-tert-dodecyl-disulphide.
 - 10. The stabilized polymer composition of any of any of the preceding claims, wherein
- (a) the sterically hindered phenolic compound is 1,3,5
 Tris(4-tert.-buty1-3-hydroxy-2,6-dimethylbenzyl)-1,3,5
 triazine-2,4,6-(1H,3H,5H)-trione or pentaerythrityl
 tetrakis(3-(3',5'-di-tert.-butyl-4-hydroxyphenyl)-propionate;
 - (b) the phosphite compound is bis(2,4-dicumylphenyl) pentaerythritol diphosphite; and
- 25 (c) the sulphur-containing compound is Di-stearyl-thiodi-propionate.
 - 11. The stabilized polymer composition of any of claims 1-10, wherein said composition further comprises metal deactivators and/or UV-stabilisers.
 - 12. The stabilized polymer composition of claim 11, wherein said UV-stabilizers are sterically hindered amines.

30

15

35





- 7 -

- 13. The stabilized polymer composition of any of the preceding claims, wherein said polyolefin is a homo- or copolymer of polyethylene, polypropylene and polybutadiene.
- 14. Use of the antioxidant composition as defined in any of claims 1-11 for reducing degradation of a polyolefin material during processing and end use of said polyolefin material.
- 10 15. The use of claim 14 for increasing long term thermal stability of the polyolefin material.
 - 16. Method for producing a polyolefin article having an improved long term thermal stability against ageing by radical degradation processes comprising the steps of:
 - (a) providing an unstabilised base polyolefin material;
 - (b) adding to said base polyolefin material the antioxidant composition as defined in any of the preceding claims;
- 20 (c) converting the composition obtained in step (b) in a melt-forming process; and
 - (d) confectioning the polyolefin material obtained in step (c).
- 25 17. The method of claim 16 further comprising adding other stabilisers and/or modifiers before the converting step c).
- 18. The method of any of claims 16 or 17, wherein the converting step includes injection moulding, blow moulding, rotational moulding and extrusion.
 - 19. The method of any of claims 16 to 18, wherein the confectioning step includes cutting, lamination and/or welding:

- 8 -

20. Polyolefin article having an increased long term ageing stability obtained by the method of any of claims 20-

23.

20 12 2004

Fmof or :463 P 1114